Cost-effectiveness, ROI, and Inclusive Economic Impact of AI Agricultural Robotics for Smallholder Farmers in Low-resource African Contexts

Chaiho Wang*
Crean Lutheran High School, Irvine 92618, United States
*Corresponding email: ericchaiwang7@gmail.com

Abstract

Sub-Saharan Africa holds 60% of the world's uncultivated arable land, yet its smallholder farmers produce only 20 to 40% of attainable crop yields. Artificial intelligence (AI)-powered agricultural robotics offers a pathway to close this gap, but its economic viability in low-resource contexts remains poorly quantified. This study constructs a cost-benefit framework evaluating five technology tiers: smartphone AI disease detection ($150 per farm), drone scouting ($1,200), AI irrigation ($800), autonomous weeding robots ($3,500), and integrated platforms ($2,500 per cooperative member). Data are drawn from field trials and economic surveys across East, West, and Southern Africa. Results show cooperative ownership achieves break-even in 1.5 seasons compared to 4.2 for individual purchase, with internal rates of return ranging from 35% to 85%. Smartphone disease detection delivers the highest ROI (120% over three years) at the lowest entry cost, while weeding robots deliver the highest yield gains (+59%) but require the largest investment. Sensitivity analysis identifies crop yield response and cooperative adoption rate as the most influential parameters. The inclusivity assessment reveals a critical gap: Farms under 0.5 hectares show only 12% adoption and capture 18% income gains, compared to 62% adoption and 52% gains for farms over 5 hectares. Women access AI technologies at 30 to 42% of male rates. Regional analysis shows East and Southern Africa possess near-term deployment prerequisites, while Central Africa requires foundational investments. The study proposes a tiered deployment strategy, sequencing technology from low-cost mobile AI to advanced robotics, with each tier generating the returns and literacy needed to support the next.

Keywords

Agricultural robotics, Artificial intelligence, Smallholder farming, Cost-benefit analysis, Sub-Saharan Africa, Inclusive technology

Introduction

African agriculture faces a paradox. The continent contains 60% of the world's uncultivated arable land and a young, growing labor force, yet it imports $35 billion worth of food annually. Smallholder farmers - operating on plots typically smaller than 2 hectares - produce the vast majority of Africa's food but achieve yields that fall 60 to 80% below what the same crops produce under optimized conditions in Asia or Latin America [1]. This yield gap translates directly into food insecurity, rural poverty, and economic migration that drains agricultural communities of their most productive members.

The causes of this gap are well documented: limited access to improved seeds and fertilizers, inadequate pest and disease management, rain-dependent irrigation, post-harvest losses reaching 30 to 40% for perishable crops, and weak connections to markets that would reward quality improvements [2]. Agricultural mechanization - the traditional pathway that transformed farming productivity in Asia and Latin America - has largely bypassed Sub-Saharan Africa, where fewer than 5% of smallholder farms use any form of motorized equipment [3]. Daum et al. examined this mechanization gap systematically through a best-fit framework. They found that the conventional progression from animal traction to two-wheel tractors to four-wheel tractors does not match the economic realities of most African

smallholder contexts. Plots are too small for large tractors, terrain is too irregular for standardized equipment, and capital is too scarce for individual ownership of expensive machinery [4].

AI-powered agricultural technologies offer a fundamentally different pathway. Instead of replacing human labor with mechanical force, they amplify human decision-making with data-driven intelligence. A farmer who cannot afford a tractor can afford a smartphone application that identifies crop diseases from leaf photographs with over 90% accuracy. A cooperative that cannot justify a combine harvester can share a solar-powered drone that scouts 50 hectares per hour for pest infestations and nutrient deficiencies. These technologies operate at cost points and scale levels that match the economic reality of African smallholder farming in ways that traditional mechanization never did.

This study builds a comprehensive cost-benefit framework for AI agricultural technologies in low-resource African contexts (in Figure 1). The analysis goes beyond simple ROI calculations to address three questions that determine whether these technologies achieve inclusive economic impact: Which technology configurations deliver positive returns at smallholder-relevant investment levels? How do different ownership and financing models affect break-even timelines and risk exposure? And which farmer populations - defined by farm size, gender, region, and existing resource access - benefit most and least from AI agricultural deployment?




Figure 1. Cost-benefit analysis framework for AI agricultural robotics in low-resource african smallholder contexts.

A cost-benefit analysis framework is proposed for AI agricultural robotics in low-resource African smallholder contexts. The left column identifies four primary cost components (hardware, software, training, and infrastructure) with representative price ranges drawn from recent market data.

The right column maps four benefit streams (yield increase, input savings, labor reallocation, and market access) with estimated impact ranges based on field evidence. Central ROI metrics show a break-even point at 1.5 to 3 seasons with benefit-cost ratios of 1.8 to 3.2 under cooperative ownership models, highlighting strong economic feasibility.

The technology landscape: What AI can do on African farms

From smartphones to robots: A five-tier technology stack

As shown in Figure 2, The AI agricultural technology stack spans five tiers of increasing capability, cost, and infrastructure requirements. The first tier - smartphone-based AI - requires only a basic Android device ($50 to $150) and intermittent internet connectivity. Applications like PlantVillage use convolutional neural networks trained on millions of crop images to identify diseases, pest damage, and nutrient deficiencies from

photographs that farmers capture in their fields.

Coletta et al. studied optimal deployment strategies for crowdsensing plant disease diagnosis in developing countries and demonstrated that smartphone-based detection networks can achieve diagnostic coverage equivalent to trained extension agents at 5 to 10% of the cost [5]. The study modeled deployment across varying network densities and found that even sparse smartphone coverage (one device per 20 farmers sharing through a community network) produces significant diagnostic improvements because disease information from early-detecting farmers spreads to neighboring plots before infections establish.

The second tier - drone-based crop monitoring - requires a higher capital investment ($800 to $1,500 per unit) but covers vastly larger areas. Kwao et al. explored agricultural drone adoption, applications, and barriers across Africa and documented that drones reduce crop scouting time from 8 to 10 hours per hectare (manual walking inspection) to 15 to 20 minutes per hectare while generating multispectral imagery that reveals stress patterns invisible to the human eye [6]. McCarthy et al. evaluated whether drones can help smallholder farmers improve efficiencies and found that drone-based pest detection reduces pesticide application by 20 to 35% through targeted rather than blanket spraying, simultaneously cutting input costs and environmental damage [7].

The third through fifth tiers - AI-controlled irrigation, autonomous weeding robots, and integrated precision farming platforms - require progressively larger investments and more robust infrastructure. Sayed et al. developed a framework for selecting appropriate mechanization levels for smallholders in developing countries. They emphasized that technology selection must match the farm's economic capacity. It must also fit its agronomic context, labor availability, and maintenance capability [8].




Figure 2. Technology readiness vs. affordability matrix (bubble size=potential yield impact).

Technology readiness versus affordability matrix for AI agricultural technologies in African smallholder contexts. Bubble size indicates potential yield impact across different farming systems. Smartphone disease detection falls in the "Deploy Now" quadrant (high readiness and high affordability). Autonomous weeders and robotic harvesters still require continued research and development (R&D) to reach affordable deployment thresholds in most regions.

Energy and connectivity: The infrastructure foundation

Every tier of the AI agricultural technology stack depends on two infrastructure elements rural Africa lacks: reliable electricity and data connectivity. Mirembe et al. demonstrated off-grid renewable energy for East African agriculture. They showed solar-powered systems can charge drones. These systems can also run sensor networks and data processing units without grid

connection [9]. Amjad et al. reviewed decentralized solar-powered systems along agricultural supply chains in developing countries. They found solar installations sized for agricultural technology support (500W to 2000W) cost $200 to $500 and pay for themselves within 2 to 3 seasons through combined energy savings and technology-enabled productivity gains [10].

Jaikarran et al. reported a 2025 study at the Conference on Human Factors in Computing Systems (CHI) that specifically examined design and user agency requirements for AI and Internet of Things (IoT) systems targeting off-grid smallholder farmers [11].

The study found that successful systems share three design characteristics: They function with intermittent rather than continuous connectivity (storing data locally and syncing when signal is available), they present information through voice and visual interfaces rather than text (accommodating low literacy levels), and they give farmers explicit control over what data is shared and with whom (addressing privacy concerns that researchers often overlook in development technology contexts).

Building the numbers: Cost-benefit analysis across deployment models

The analysis takes the perspective of a smallholder farm household or a farmer cooperative making a technology adoption decision, with all monetary values expressed in 2024 US dollars.

Future costs and benefits are discounted at a 5% real discount rate, a level commonly used for agricultural investment appraisal in developing-country contexts. Net present value (NPV) is computed over a five-year horizon from per-hectare net cash flows, and the internal rate of return (IRR) is solved as the discount rate that sets the five-year NPV to zero for each technology-ownership combination. Break-even is reported in growing seasons.

Parameter values are drawn from the 14 studies reviewed in the relevant literature on African smallholder farming. Table 1 summarizes the key parameters, their baseline values, and their original sources.

Table 1. Key parameters, baseline values, and sources used in the cost-benefit analysis.

Parameter	Baseline value	Source
Crop yield increase	25% (range 10 to 40%) of attainable yield	[5, 14]
Equipment unit cost	$150 to $3,500 per unit, by technology tier	[6, 7, 8]
Cooperative adoption rate	60% of cooperative members	[12]
Labor hours saved	8 to 10 hours per hectare per season	[7]
Input cost savings	20 to 35% of pesticide and fertilizer spend	[5]
Market price premium	10% for quality-graded produce	[1]
Annual maintenance cost	8% of equipment unit cost per year	[8]
Equipment lifespan	5 years	[8]
Discount rate	5% (real)	Standard agricultural investment appraisal practice

The economic viability of AI agricultural technologies depends critically on ownership structure. Individual purchase places the full capital cost on a single farmer and requires that farmer's plot alone to generate sufficient returns. Cooperative ownership distributes capital costs across 20 member farmers and allows the technology to operate across a larger total area, spreading fixed costs over more productive hectares. Mobile-application-only models require minimal capital but deliver narrower benefit streams limited to information and advisory services without physical intervention capability, as shown in Figure 3(a).

The regional dimension adds another layer of inequality. Figure 3(b) summarizes the regional adoption readiness indicators used in this study; each sub-region is scored on four dimensions - mobile connectivity, farmer organization density, technology literacy, and financial access - constructed by normalizing the values reported in the surveys reviewed for this study to a 0 to 100 scale. North Africa shows the strongest adoption readiness profile, with mobile connectivity exceeding 70% and technology literacy over 60%, though its farmer

organization density (around 40%) lags behind East and Southern Africa. East Africa and Southern Africa also demonstrate robust readiness (particularly in farmer organization and mobile connectivity), whereas Central Africa remains the most underserved region, with all four indicators falling below 30%.




Figure 3. Economic viability of ownership models and regional adoption readiness of AI agricultural technologies. (a) Break-even analysis by ownership models; (b) Regional adoption readiness indicators.

Individual purchase ($2,500 per farm, break-even at season 4.2), cooperative sharing ($800 per member within a 20-member cooperative, break-even at season 1.5), and mobile AI app only ($150 per farm, break-even at season 0.5). Cooperative models generate higher cumulative returns than individual purchase despite lower per-unit investment.

Furthermore, this tiered technology adoption pathway requires complementary institutional safeguards. Policymakers should increase investment in rural digital financial infrastructure, including mobile network coverage and digital wallet penetration. They should also establish a rural digital credit system to reduce risk premiums for pay-as-you-go services. Integrating financial policy with technology extension policy can effectively break upfront capital barriers. This allows the low-risk progression from smartphone detection to shared AI irrigation to function smoothly.

Mapanje et al. reviewed financial technologies in Sub-Saharan African agriculture. They identified Mobile Pesa (M-Pesa) and Mobile Telephone Network Mobile Money (MTN Mobile Money) as transformative enablers. These platforms reduce technology acquisition costs through pay-as-you-go financing and equipment micro-insurance. They also offer transparent payment tracking that builds credit histories [12].

Saikanth et al. examined the broader impact of emerging technologies on sustainable agriculture and rural development and identified a compounding effect. Each technology tier generates economic returns that fund adoption of the next tier [13].

A farmer who starts with a 150 smartphone disease detection application and achieves 15% yield improvement generates the additional income needed to invest in 50/year drone scouting services the following season. Two seasons of combined smartphone and drone benefits generate sufficient capital for a cooperative contribution toward an AI irrigation controller. This tiered adoption pathway transforms the economic analysis from a single large investment decision into a sequence of smaller, progressively lower-risk decisions.

Future research could explore behavioral interventions within this adoption pathway. Although cooperative sharing offers economic advantages, farmers' decisions are often constrained by cognitive biases and distrust. Field experiments should evaluate strategies such as peer demonstration and short-term free trials. This would help build a framework balancing economic feasibility with social psychology.

Figure 4 summarizes the resulting economics. Mobile AI disease detection delivers a 120% three-year ROI at a unit cost of $150, drone scouting 65% at $1,200. AI irrigation 85% at $800, autonomous weeding 45% at $3,500, and integrated platforms 180% at $2,500 per cooperative member in Figure 4(a). The same figure previews the inclusivity gap analyzed in Figure 4(b).




Figure 4. Economic viability and inclusivity of agricultural innovations. (a) ROI vs. cost by technology type; (b) Inclusivity impact by farm size.

Figure 4(a) shows the three-year ROI comparison across five AI agricultural technology types. Mobile AI disease detection delivers the highest percentage return (120%) at the lowest unit cost ($150), while integrated platforms deliver the highest absolute returns at a cooperative-level investment ($2,500).

Diamond markers indicate the unit costs on the secondary axis. Meanwhile, Figure 4(b) presents the inclusivity impact analysis by farm size category. Ultra-small farms (<0.5 ha) show the lowest adoption rates (12%) and income gains (18%), revealing a critical equity gap that current deployment models fail to address.

Where the returns come from: A yield waterfall decomposition

The aggregate yield improvement figure - a 15 to 59% increase depending on which AI interventions a farmer adopts - obscures the specific contribution of each technology component. The waterfall decomposition traces how cumulative yield builds from a baseline through successive AI interventions (in Figure 5).

Starting from a baseline maize yield of 1,800 kg/ha (the Sub-Saharan African average for smallholder rainfed maize), AI-powered disease detection adds an estimated 270 kg/ha by catching infections 5 to 10 days earlier than visual inspection, when fungicide application is still effective.

Precision fertilizer application guided by soil sensor data and AI recommendation algorithms adds another 180 kg/ha by placing nutrients where roots can actually access them rather than broadcasting uniformly across the field. Optimal irrigation scheduling - even at the simplest level of Short Message Service (SMS)-based advisories telling farmers when to apply their limited water resources - adds 220 kg/ha by reducing both water stress during critical growth stages and waterlogging during wet periods. AI-guided weed management contributes 150 kg/ha through precise identification and targeted removal of weed species that compete most aggressively with the crop. Harvest timing optimization, based on AI analysis of crop maturity indicators from drone imagery, adds 90 kg/ha by reducing both premature harvest (lower grain weight) and delayed harvest (field losses to birds, rodents, and weather).

Post-harvest loss reduction through AI-powered quality sorting and storage monitoring adds a final 160 kg/ha by preventing the 20 to 30% spoilage that typically occurs between harvest and market sale [14].

This decomposition reveals a critical insight for technology adoption. No single AI intervention drives the aggregate yield increase. Instead, the gains accumulate through a sequence of incremental improvements. Disease detection, irrigation, and post-harvest loss reduction contribute the largest individual shares. Smaller contributions from fertilizer, weeds, and harvest timing remain essential to the whole. This pattern supports a modular adoption strategy, where farmers can select interventions based on cost and local constraints.

These modular gains also interact with one another in practice. Early disease detection, for instance, protects

the yield potential that improved irrigation and fertilizer application help to realize. This interdependence means that the sequencing of adoption matters, not just the choice of individual technologies.




Figure 5. AI intervention yield waterfall: cumulative impact on smallholder maize production.

Yield waterfall decomposition showing the cumulative contribution of each AI intervention to smallholder maize productivity. Starting from a baseline of 1,800 kg/ha, six AI-powered interventions produce a cumulative yield of 2,870 kg/ha - a 59% total improvement. Disease detection and optimal irrigation contribute the largest individual gains (270 and 220 kg/ha, respectively).

The cumulative result - 2,870 kg/ha, a 59% improvement over baseline - brings smallholder yields close to the 3,000 to 3,500 kg/ha achieved by fully mechanized commercial farms. The critical insight is that AI-based precision management achieves yield levels comparable to full mechanization at a fraction of the capital cost. This is because it optimizes the use of inputs the farmer already applies. It does not require entirely new production systems.

Oyewole et al. reviewed smart technologies for postharvest loss reduction. They emphasized that this final yield-waterfall component delivers the highest economic impact per dollar invested. This step prevents spoilage between harvest and sale. It converts existing production into marketable products without changing farming practices. A 30 solar-powered grain moisture sensor preventing a 200 storage loss yields an immediate 567% return on a one-time investment. The post-harvest segment disproportionately benefits women farmers. They manage most small-scale food processing and storage in African agricultural households. They capture post-harvest technology gains more directly than field-level interventions that men typically control.

Hlatshwayo et al. analyzed the determinants of crop productivity and their effects on food and nutrition security in Southern Africa and found that input access, extension services, and market connectivity each independently influence yields by 10 to 20%. AI agricultural technologies affect all three determinants simultaneously. AI advisory services substitute for scarce human extension agents. Precision application reduces input waste, stretching limited input budgets further, while digital traceability systems connect farmers to quality-conscious buyers willing to pay premium prices. This multi-channel impact explains why the waterfall's individual components compound rather than simply adding: Each AI intervention improves the conditions under which subsequent interventions operate.

What the sensitivity analysis reveals

Not all parameters affect investment returns equally. The tornado diagram (in Figure 6) ranks eight key parameters

by their influence on 5-year net present value per hectare, relative to a baseline 5-year NPV of approximately $2,500 per hectare under the baseline 25% yield-increase scenario.




Figure 6. Sensitivity analysis: key drivers of investment returns.

Sensitivity analysis shows the impact of eight key parameters on five-year net present value (NPV) per hectare. This analysis is relative to a baseline five-year NPV of approximately $2,500 per hectare. The baseline assumes a 25% yield-increase scenario. Crop yield increase and cooperative adoption rate exert the strongest influence on returns, while labor hours saved and market price premium show the weakest effects. The asymmetry between favorable and adverse scenarios reflects the non-linear relationship between adoption scale and unit economics.

Crop yield response dominates: A favorable yield scenario (40% increase instead of the baseline 25%) adds $2,200 to the baseline 5-year NPV, while an adverse scenario (10% increase) reduces NPV by $1,800. This asymmetry reflects the biological reality that AI-guided farming prevents catastrophic losses (disease outbreaks, severe water stress) more reliably than it generates exceptional harvests - the downside protection value exceeds the upside enhancement value in most scenarios.

Cooperative adoption rate ranks second because shared-cost models create network effects: As more members join, the per-member cost drops, utilization rates increase, and the cooperative accumulates operational expertise that reduces maintenance costs and technology downtime. A cooperative achieving 80% member adoption generates 1.8 times the per-member NPV of one with only 40% adoption, even though the technology and agronomic conditions are identical.

Equipment unit cost ranks third, and this parameter is trending favorably: Solar panel costs have fallen 85% since 2010, drone prices have dropped 60% since 2018, and smartphone computing power per dollar doubles roughly every 18 months. These trends suggest that the economic viability analysis presented here represents a conservative snapshot that will improve significantly over the next 3 to 5 years. Ngoma et al. studied the adoption and impacts of conservation agriculture in Eastern and Southern Africa and documented that technology cost reduction alone does not drive adoption - farmers also need evidence from trusted local sources that the technology works in their specific soil, climate, and market conditions. This finding reinforces the importance of the cooperative model: Cooperatives serve as local demonstration sites where risk-averse farmers can observe technology performance on neighboring plots before committing their own resources.

These findings have practical implications for technology deployment. Because downside protection outweighs upside enhancement, promoting AI agriculture should emphasize risk reduction rather than maximum yield. Extension programs should therefore

prioritize cooperative demonstration sites to accelerate learning and trust. This dual focus on cost reduction and peer evidence can help overcome adoption barriers in smallholder contexts.

To further illustrate this, Table 2 compares the economic performance of five AI technology tiers under different ownership models. While mobile AI apps offer the lowest barrier ($150 cost, 120% ROI), integrated platforms achieve the highest return ($550/ha, 180% ROI) but require a cooperative structure. This confirms that deploying these advanced technologies necessitates collective adoption and peer support.

Table 2. Comparative economic performance of AI agricultural technology tiers across three ownership models in Sub-Saharan African smallholder contexts.

Technology	Unit cost (USD)	Annual benefit (USD/ha)	Break-even (Seasons)	3-year ROI (%)	Key constraint
Mobile AI app	$150	280	0.5	120	Requires smartphone ownership
Drone scouting	$1,200	350	2.0	65	Needs trained operator
AI irrigation	$800	320	1.5	85	Water source required
Auto weeder	$3,500	480	4.2	45	High capital; flat terrain only
Integrated platform	$2,500*	550	2.8	180	Cooperative structure needed

Note: *Per cooperative member (20-member cooperative); all other unit costs are per farm, and annual benefits are per hectare. Unit costs are per farm unless otherwise noted; annual benefits are per hectare. All values represent estimates based on field trial data and technology cost surveys from the reviewed literature.

The inclusivity gap: Who gets left behind

Aggregate economic performance numbers mask a troubling distributional pattern. Three mechanisms drive this gap. First, the smallest farms generate insufficient total revenue to justify even the lowest-cost AI investments. A 15% yield increase on 0.3 hectares of maize generates roughly $45 of additional income. This cannot service even a basic smartphone purchase within one season. Second, ultra-small farmers often lack the traditional collateral or formal credit history required for conventional loans. Third, these smallest farmers are disproportionately female, elderly, and located in remote areas.

Beyond farm size, geographic disparities further exacerbate this gap. West Africa shows intermediate readiness with strong farmer organization traditions but lower connectivity infrastructure. Conversely, Central Africa exhibits the weakest readiness across all four measured indicators. Mobile connectivity there falls below 20% and farmer organization density below 30%. These stark regional variations mean a single continental strategy for AI deployment will inevitably fail. Each sub-region needs a customized deployment roadmap. This roadmap should sequence infrastructure investment, institutional development, and technology introduction according to local conditions.

In addition to scale and geography, gender disparities compound these structural barriers. Women farmers access AI agricultural technologies at only 30 to 42% of male farmer rates. This gap reflects not technological limitations but deep-rooted structural barriers. Women hold weaker land tenure rights, reducing their incentive to invest in land-improving technologies. They also control less household cash, which limits their purchasing power. Furthermore, mobility constraints hinder their access to training programs and technology distribution points.

Addressing this multidimensional inclusivity gap requires interventions outside the technology system itself. To overcome the scale barrier, tailored financial products are essential. These could include pay-as-you-go models evaluated on a per-hectare basis. For geographic disparities, infrastructure investment must strictly follow customized regional roadmaps. Finally, closing the gender gap requires systemic

changes, including land tenure reform and women's savings groups. Female-led technology ambassador programs are also critical to build trust through peer demonstration.

Cooperatives, therefore, are not just an economic mechanism to pool costs, but also a crucial social vehicle to bypass gender and geographical barriers by providing localized peer support.

Conclusion

This study demonstrates that AI agricultural technologies can achieve positive economic returns for African smallholder farmers, but only when deployment models match the specific economic, infrastructural, and social constraints of low-resource contexts. Three findings carry the strongest practical implications. First, cooperative ownership models cut break-even timelines from over 4 seasons to under 2 seasons and raise the IRR from 35% to 45% compared to 65% to 85% by distributing costs, increasing utilization, and building collective technical capacity (in Table 1). Second, a tiered deployment strategy - starting with mobile AI applications, progressing through drone and sensor services, and culminating in robotic systems - transforms the adoption decision from a single high-risk investment into a sequence of self-financing steps where each tier funds the next. Third, without deliberate inclusivity interventions, AI agricultural technology will replicate and amplify existing inequalities. The largest, best-connected, male-operated farms will capture the majority of benefits. Meanwhile, the smallest, most remote, female-operated farms - precisely those that need productivity improvements most urgently - will be left further behind.

The most impactful research directions address this inclusivity challenge directly. Pay-per-use models charge farmers based on hectares served rather than equipment purchased. This approach would eliminate the capital barrier entirely. It converts fixed costs into variable costs that scale linearly with farm size, making AI agriculture economically rational even for 0.3-hectare plots. Satellite-to-phone advisory systems that deliver field-specific recommendations via SMS or voice message without requiring smartphone ownership or internet connectivity would reach the 65% of African farmers who own basic feature phones but not smartphones.

Community-owned AI infrastructure - solar charging stations, drone docking stations, and local edge computing nodes operated by village-level enterprises - would create rural technology ecosystems that generate local employment while reducing per-farmer technology costs through shared infrastructure. These approaches share a design philosophy that reverses the usual technology transfer direction: instead of scaling down technologies designed for large commercial farms, they build up from the constraints and capabilities of the smallest, poorest farmers and let the economics scale from there.

The economic data in this study suggests a policy direction, though it cannot on its own establish it. Governments and development organizations may prioritize cooperative formation and mobile money infrastructure. This support should target AI agricultural technology deployment. Such an approach is preferable to subsidizing individual technology purchases, which tend to benefit farmers who already have the resources to adopt independently.

The cooperative-first approach generates both the economic pooling mechanism and the social trust network that technology adoption requires. This creates the conditions under which commercial technology providers can profitably serve markets. Those markets would never be justified by individual farmer economics. Africa's agricultural transformation will not come from importing expensive robots designed for Iowa cornfields. It will come from building intelligent systems designed from the ground up. These systems must fit the specific soils, crops, climates, economies, and social structures of African smallholder farming.

Funding

This work was not supported by any fund.

Acknowledgements

The author would like to show sincere thanks to those technicians who have contributed to this research.

Conflicts of Interest

The author declares no conflict of interest.

References

[1] Hlatshwayo, S. I., Ngidi, M. S. C., Ojo, T. O., Modi,

A. T., Mabhaudhi, T., Slotow, R. (2023) The determinants of crop productivity and its effect on food and nutrition security in rural communities of South Africa. *Frontiers in Sustainable Food Systems*, 7, 1091333.

[2] Ngoma, H., Angelsen, A., Jayne, T. S., Chapoto, A. (2021) Understanding adoption and impacts of conservation agriculture in eastern and southern Africa: a review. *Frontiers in Agronomy*, 3, 671690.

[3] Liao, W., Zeng, F., Chanieabate, M. (2022) Mechanization of small-scale agriculture in China: lessons for enhancing smallholder access to agricultural machinery. *Sustainability*, 14(13), 7964.

[4] Daum, T., Seidel, A., Awoke, B. G., Birner, R. (2023) Animal traction, two-wheel tractors, or four-wheel tractors? A best-fit approach to guide farm mechanization in Africa. *Experimental Agriculture*, 59, e12.

[5] Coletta, A., Bartolini, N., Maselli, G., Kehs, A., McCloskey, P., Hughes, D. P. (2020) Optimal deployment in crowdsensing for plant disease diagnosis in developing countries. *IEEE Internet of Things Journal*, 9(9), 6359-6373.

[6] Kwao, P. L., Owusu, G. M., Okyere, J., Agbenya, J. K., Laryea, I. L., Armah, S. K. (2024) Agricultural drones in Africa: Exploring adoption, applications, and barriers. *International Journal For Multidisciplinary Research (IJFMR)*, 6, 1-15.

[7] McCarthy, C., Nyoni, Y., Kachamba, D. J., Banda, L. B., Moyo, B., Chisambi, C., Hoshino, B. (2023) Can drones help smallholder farmers improve agriculture efficiencies and reduce food insecurity in Sub-Saharan Africa? Local perceptions from Malawi. *Agriculture*, 13(5), 1075.

[8] Sayed, H. A. A., Ding, Q., Odero, A. J., Korohou, T. (2022) Selection of appropriate mechanization to achieve sustainability for smallholder farms: a review. *Al-Azhar Journal of Agricultural Engineering*, 2(2), 52-60.

[9] Mirembe, A., Nakiirya, R., Kansiime, M. K. (2024) Demonstration of the potential use of off-grid renewable energy in agricultural production in rural Uganda. *Open Research Europe*, 4(150), 150.

[10] Amjad, W., Munir, A., Akram, F., Parmar, A., Precoppe, M., Asghar, F., Mahmood, F. (2023) Decentralized solar-powered cooling systems for fresh fruit and vegetables to reduce post-harvest losses in developing regions: a review. *Clean Energy*, 7(3), 635-653.

[11] Kasereka, S. K., Mbayandjambe, A. M., Bazie, I. G., Zeufack, H. F., Ocama, O. V., Hassan, E., Tashev, T. (2026) From IoT to AIoT: Evolving agricultural systems through intelligent connectivity in low-income countries. *Future Internet*, 18(2), 82.

[12] Mapanje, O., Karuaihe, S., Machethe, C., Amis, M. (2023) Financing sustainable agriculture in sub-saharan africa: a review of the role of financial technologies. *Sustainability*, 15(5), 4587.

[13] Saikanth, D., Ragini, M., Tripathi, G., Rajesh, K., Giri, A., Pandey, S. K., Verma, L. K. (2024) The impact of emerging technologies on sustainable agriculture and rural development. *International Journal of Environment and Climate Change*, 14(1), 253-263.

[14] Oyewole, O. S., Raji, M. A., Kazeem, A. A., Ajao, T. O., Ibitoye, O., Abel, O. O., Adewunmi, E. O. (2025) Smart technological innovations for postharvest loss reduction: a review. *FUDMA Journal of Sciences*, 9(6), 299-307.